

Studying the relationship between urban green corridors And sustainable urban landscape



Sara Golestani Eraghi¹, Mona Meschi², Saeed Gholampour³

¹M.A Landscape Architecture, Tehran university, Tehran, Iran; sr.golestani@gmail.com

²M.A Landscape Architecture, Tehran university, Tehran, Iran; mona_me86@yahoo.com

³M.A Landscape Architecture, Tehran university, Tehran, Iran; saeedgholampour@yahoo.com

Paper Reference Number: 07-45-2365

Presenter: Sara Golestani Eraghi

Abstract

In 1970s, the concept of sustainability was a result of human knowledge about environment issues and cultural, economical and social problems. One of the main goals of sustainable development is to save the nature and to have a better look at it. The expression of sustainable development in urban spaces, is named sustainable urban landscape.

Architects have very important role in this matter because they are responsible for 75% of climate changing directly or indirectly.

Sustainable urban landscape is one of the effective factors in health of environment and reduction of environmental pollution. Green corridors are one of the most effective spaces in sustainability of urban landscapes. Green corridors involve long green spaces in the cities and river-valleys which flow among the cities and somehow change the micro climate of the areas. These spaces can have positive and negative effects on sustainability of urban landscape and then environmental health of cities.

In this paper, we attempt to examine the role of green corridors in sustainability of urban landscape and increases and decreases of environmental pollutions. So that we will also have a case study of these spaces in one of the cities of Iran and we will try to represent some solutions to achieve sustainable urban landscape and environmental health.

Key words: environmental health, green corridors, urban landscape ,sustainable.

Introduction:

Cities are the main economical base for the countries. They create jobs and services in themselves. The most of civilization and technological achievements occurred in cities and therefore, all of them are in line with the quality of life. On the other hand, industrial development and modernism has led to ecological and environmental problems which threaten public health and safety. From the point of researchers it can be the disincentive factor for economical development and quality of life.

In general, in sustainable development of cities plan, it is forecasted to observe some general principles: 1. Cities should be liveable for all the people 2. They should present quality of life to people from all the social classes 3. They should compete with each other and 4. They should be managed properly.

One of the significant solutions is paying attention to environmental issues which affect the ecological sustainability of cities. And it seems to have global priority and also it is placed in green agenda. Protection of urban green spaces, making them and sustainable design, are placed at the subset.

Urban green corridors (or urban greenway corridors) are the most important urban green spaces which are made because of human interventions or they are penetrated from around into the cities. While conservation and development program differs for each case, but all of them have common points which are in relationship with sustainable development. So if we could find some designing or conserving principles for them we could have important steps in the way of sustainable cities for the future.

What are green corridors?

The origins of the green corridors planning approach, introduced with the purpose of preserving and providing the continuity of urban open spaces, are based on Olmsted's 'Parkways' concept in America and the Garden City concept of Ebenezer Howard during the twentieth century in England (Toccolini et al., 2006).

People have been setting aside greenways of various sorts for more than one hundred years. In North America in the late 19th and early 20th centuries, parkways—early prototypes for greenways—were created to connect urban parks.(Helmand & Smith,2006:3)

Since the middle of the last decade, some landscape architects have defined green corridors very expansively as "networks of linked landscape elements that provide ecological, recreational, and cultural benefits to the community" (Ndubisi et al., 1995). Although Fabos definite green corridors as:" Tunnels with various widths join to each other like the highways or railways"(Fabos, J.G., 2004,325). They are networks of linear elements that are planned, designed and managed for multiple purposes, including ecological, recreational, cultural, aesthetic or other purposes compatible with the concept of sustainable land use (Ahern, 1995).

Landscapes and green corridors will increase the environment qualities and they are the best place for spending leisure times. Nowadays, although about 1/3 up to 2/3 of perspectives in the world contain green spaces and paths. (shahani, 2012:1515)

In the 1960s, citizens, ecological planners, and landscape architects recognized the need to protect waterways and other corridors that included a high concentration of important natural features. (Helmand & Smith,2006:4)

Green corridors may be implemented in either rural or urban locations. They have been identified, also, for their function in helping to shape particular forms of urban design. (Groome,1990:383)

One of the examples of green corridors in urban spaces is river valleys. Urban river-valleys as one of urban ecological infrastructure could have effective role in order to create a balance between nature and the man made spaces in city and the human relation to nature.

Sustainable urban landscape:

The term sustainability refers to a community's capacity to support the long-term health and welfare of its natural and man-made environment, as well as all forms of life that depend on that environment. A sustainable community is focused not only on protecting natural resources, but also on ensuring a high quality of life for all residents. To achieve an increased level of sustainability, a community must recognize the interconnectedness of all things, as well as the impact their actions have on the greater region and the world. (6, Baraboo, Wisconsin)

Increasing recognition of the worlds' expanding population and current global rural to urban migration necessitates a better understanding and integration of urban ecological process into the framework for urban design. All the technological developments and human accommodation have led a lot of extra unused things in regions. During years this subjects disturb natural life cycles and chain of life in urban areas. Reinforcing the ecological networks in cities is a proposed solution for answering these problems, either for developing natural species or increasing mutual relations between human being and green spaces. Green ways can mix with urban networks for developing ecological activities and acting like natural city lungs.(shahani,2012:1514). Landscape sustainability can be achieved by ecological landscape planning which brings together the interactions of both the natural and cultural landscape structures.(Pena, Abreu, Teles, Dalila,2010:971)

The relationship between green corridors and sustainability

According to definition of sustainable development, a sustainable city should contain essential characteristics of sustainability. Urban nature like green paths and corridors establish all the required sequence for life qualities, also this progression is the key part for sustainable development. (shahani,2012:1514)

Thus, indicators of green corridors are “Providing green spaces, Pollutions and pollutants, Connectivity and continuity, Visions and Perspectives, Multi-functional structures, Tourism and income, Access ability and transportation, Social relationships”. Those are used as factors to promote sustainable development in urban landscape.

There are 4 main factor for sustainability that green corridors have some features in that subject, we brought them in table 1.

The features of green corridors in sustainability	
Environmental benefits	<ul style="list-style-type: none"> Flood hazard reduction Reduction of bank erosion and downstream sedimentation Riparian habitat enhancement and biodiversity Protect the natural environment Preservation of habitat Provide wildlife corridor and wildlife migration Microclimate enhancement Increase air quality Enhance environmental quality Provide connection between divided communities Limit urban growth
Economic benefits	<ul style="list-style-type: none"> Increase real-estate property values Provide direct employment opportunities Attract tourism Help create tax revenue Decrease the car related family budget
Recreational benefits	<ul style="list-style-type: none"> Provide scenic routes for walking, cycling, etc. Increase learning about natural environment Provide opportunities for outdoor activities
Transportation benefits	<ul style="list-style-type: none"> Free to use and easy to access Provide alternative transportation route for journey to work–home and leisure activities Provide non-motorized transportation Provide connection between communities and urban–rural areas Social benefits Improve leisure time Enable awareness of nature and the environment Enhance well-being through contact with nature

	Induce healthier lifestyle Improve quality of life Provide access and linkage between historical and cultural heritage Decrease or balance certain drawbacks of urban life Facilitate social equity Help to reduce crime Decrease the health problems
--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Table.1-(Hosgo`r & Yigiter,2012:344)

Darabad river-valley:

One of the most important natural areas that bring life in urban spaces all over the world are valley-rivers. In Tehran these river-valleys don't have a constructive role in increasing the spatial qualities and progressing the citizens' quality of life, they also cause different problems in the city. Tehran have 9 valley-rivers one of them is Dar-Abad that is situated in north-east of the city.



We chose Dar-Abad because of this reasons:

- remaining original and intact during the time
- variation in plants and animals
- green spaces in river margin with historical background.
- crossing the river among the rural part and spread to the city

These are the benefits of Dar-Abad valley-rivers:

- 1-fresh water resources
- 2-natural corridors of weather circulation.
- 3-create tourism space
- 4-creat green space and filtering the pollutions
- 5-increasing the quality of urban spaces.


Based on the factors for sustainable design and the context of the case-study as a urban river-valley, we suggest some design solutions for this case study based on it's status.

As it can be seen in sketch 1 the route which water passes has a special topography which designer can use to have divers in water show which lead to Connection to and expression of temporality and time.


Providing visual access to green corridor can be done with the solution which is presented in sketch 2 and 4 .for example, colonnade of trees which exists around the river at the entry of the river into the city, can help emphasizing on visual access.

By Design compatible with the topography (gradient, different levels,...) designer can respond to topography which is one of the solutions for sustainable design.


In order to achieving sustainable landscape design, In sketch 3, some solutions like Using human scale and forms, Design compatible with the topography, Providing visual access to green corridor and Creating privacy and another facilities such as making green roofs at top of the buildings which exist around the river in the city, is provided.




Sketch:1



Sketch:2



Sketch:3



sketch:

Result:

According to the relationship between green corridors and sustainability, there should be provided some design solutions specially for landscape designers in order to achieve sustainable landscape design process for greenway corridors.

Following table shows us some of the most important design solutions in relationship with Possible design objectives provided by Hellmund and Smith (2006:212) :

Possible design objectives applicable to greenway design	Landscape design solutions
Provide <i>visual and physical access</i> to greenway	Using different deciduous trees and different shapes of water

elements that express <i>seasonality</i> (e.g., leaf color, frozen water, fruit).	show
Cleanse <i>stormwater</i> and other waste outputs from adjacent land uses before or as they enter the <i>greenway</i> .	Providing appropriate infrastructure for wastewater
<i>Feature</i> significant <i>topography</i> in the <i>greenway</i> .	Designing gradient, different levels,...
Provide <i>equal access</i> to the <i>greenway</i> to all segments of the community.	Using the green corridor to Provide different facilities for various social groups (public space, open space, calm space, ...)
Engage future <i>greenway</i> users in the green corridor design process.	Implanting fruit plants and vegetables by users
Use the <i>greenway</i> to provide visual and physical <i>access</i> (“connectedness”) to <i>nature</i> .	Creating spaces with flexible materials such as sand that could be changed by users
Use <i>local solutions</i> whenever possible in implementing aspects of the <i>greenway</i> .	Using from indigenous, minimal and simple material in design
Create <i>vantage points</i> within and adjacent to the <i>greenway</i> where users can view wildlife, other <i>greenway</i> users, or interesting elements.	Creating privacy and another facilities such as pergola with herbal elements
Whenever possible or appropriate, <i>extend greenway functions outward</i> from the <i>greenway</i> to integrate the <i>greenway</i> and its context.	Draging around public spaces into green corridors
Create <i>transition areas</i> (vestibules) for users coming into the <i>greenway</i> to help them realize and remember that they are entering a special place where appropriate behavior may differ from where they are coming.	Emphasizing on green corridors in order to experience and realize different space with narrow path
Seek out <i>postindustrial</i> or other “denatured” areas in selecting <i>greenway</i> alignments if they are compatible with <i>greenway</i> objectives, and don’t attempt to totally obscure their previous uses, pretending they were pristine areas.	not deleting the existing and remaining elements in design and use them
Create elements along the <i>greenway</i> that <i>remind users</i> they are in the <i>greenway</i> and that give more information about the <i>greenway</i> ’s functions.	Using green corridors ‘s plant and materials for designing the details
Make obvious the human interventions in the <i>greenway</i> , instead of trying to obscure these, giving <i>cues to care</i> .	not deleting people’s interference during the time from green corridors
Include obvious places (e.g., trails and viewing blinds) for <i>people</i> in the <i>greenway</i> , as appropriate.	Using human scale and forms and the audience clearly be seen in the design
Use <i>local materials</i> in any construction (paths, bridges, etc.) within the <i>greenway</i> to emphasize what is unique to an area and gives an area its specific sense of place.	Using dried plants, stones or wasted industrial materials within the corridor
Seek out <i>postindustrial</i> or other “denatured” areas in selecting <i>greenway</i> alignments if they are compatible with <i>greenway</i> objectives, and don’t attempt to totally obscure their previous uses, pretending they were pristine areas.	Using waste material and abandoned area in design.try to conveting abandoned area to public space or play grounds around the green corridors
Delineate the <i>edges of or entrances</i> to <i>greenways</i> so visitors know the rules are different within.	Making difference between considered usages in corridor and usages out of corridor
Use <i>local materials</i> in any construction (paths, bridges, etc.) within the <i>greenway</i> to emphasize what is unique to an area and gives an area its specific sense of place.	Using organic material and forms in designing like some stones or waste materials around or dried plants.

References:

- Ahern, J., (1995). *Greenways as a planning strategy*. In: Fabos, J., Ahern, J. (Eds.), *Greenways: The Beginning of an International Movement*. Elsevier, Amsterdam, pp. 131–156.
- Appleton, I.H. (1970). *Disused railway in the countryside of England and Wales*. (Commission, Cheltenham)
- Beatriz Pena, S., Abreu, M., Teles, R., Espírito-Santo, M. (2010). *A methodology for creating greenways through multidisciplinary sustainable landscape planning*. *Journal of Environmental Management* 91 (2010) 970–983. Elsevier
- Beazley, E. (1969). *Designed for recreation*. Faber and Faber. London
- Cooper, G. and Hull, A.P. (1978). *Making a linear country park*. *Town and Country Planning*. 46:168-172.
- Fabos, J., (1995). *Introduction and overview: the greenway movement, uses and potential of greenways*. In: Fabos, J., Ahern, J. (Eds.), *Greenways: The Beginning of an International Movement*. Elsevier, Amsterdam, pp. 1–14.
- Greater Manchester Council. (1983). *Medlock Valley Local Plan*. The Council. Manchester.
- Hellmund, P. & Smith, D. (2006). *Designing Greenways*, Island Press, Washington.
- Hoşgör, Z. & Yigiter, R., *Greenway Planning Context in Istanbul- Haliç: A Compulsory Intervention into the Historical Green Corridors of Golden Horn*, *Landscape Research*, 36:3, 341-361
- Ndubisi, F., Terry, D.M., Niels, D.D., (1995). *Environmentally sensitive areas: a template for developing greenway corridors*. In: Fabos, J., Ahern, J. (Eds.), *Greenways: The Beginning of an International Movement*. Elsevier, Amsterdam.
- Randall, A., *Linked landscapes Creating greenway corridors through conservation subdivision design strategies in the northeastern and central United States*, *Landscape and Urban Planning* 68 (2004) 241–269, Elsevier
- Shahani, F., *The Role of Green Way in the Achievement of Urban Sustainable Development (District 3 of Tehran as a Case Study)*, *World Applied Sciences Journal* 19 (10): 1514-1522, 2012
- Toccolini, A., Fumagalli, N. & Senes, G. (2006) *Greenways planning in Italy: the Lambro river valley greenways system*, *Landscape and Urban Planning*, 76, pp. 98–111.
- Turner, T. (1987). *Landscape Planning*. Hutchinson. London.
- Whyte, W.H. (1968). *The Last Landscape*. Doubleday. Garden

City, New York.